I CLAIM:

1. A method for creating a vertical search engine, comprising:

receiving a list of a plurality of keywords to be used for the vertical search engine

on a network device, wherein the list of keywords includes general and specific keywords

for a selected subject;

5

10

15

20

processing the list of plurality of keywords to create a refined list of keywords,

wherein the processing includes adding, subtracting or modifying automatically the list of

plurality of keywords;

creating a plurality of first index files associated with a plurality of first data files

by checking a plurality of domain names from a plurality of domain name files associated

with a domain name system for a computer network, wherein the plurality of first index

files include a plurality of pointers to the associated data files, and wherein the plurality

of first data files include a plurality of entries including electronic information extracted

from a plurality of web-sites associated with a plurality of active domain names from the

plurality of domain name files;

creating a plurality of second index files with associated plurality of second data

files by searching the plurality of first index files for keywords from the refined list of

keywords, wherein the plurality of second index files include a plurality of pointers to the

associated plurality of second data files, and wherein the plurality of second data files

include a plurality of entries including electronic information extracted from a plurality of

web-sites associated with the plurality of active domain names for keywords from the

refined list of keywords;

verifying that entries in the plurality of second index files are appropriate for the

selected subject;

creating a final index from the plurality of entries first index; and

making a vortal accessible on another network device via the computer network

for the selected subject using the final index.

5

15

20

2. The method of Claim 1 further comprising a computer readable medium

having stored therein instructions for causing a processor to execute the steps of the

method.

3. The method of Claim 1 wherein the domain name system for the computer

network includes the Domain Name System for the Internet.

4. The method of Claim 1 wherein the plurality of entries including electronic

information extracted from a plurality of web-sites associated with a plurality of active

domain names from the plurality of domain name files include a title, description, a

uniform resource locator, or a pre-determined amount of electronic content associated

with a web-site associated with an active domain name.

5. The method of Claim 1 wherein the processing step includes:

eliminating keywords that are too generic or have multiple meanings;

modifying keywords by adding alternative spellings or additional words; and

adding automatically synonyms for keywords to the list of plurality of keywords

to create the refined list of keywords.

6. The method of Claim 1 wherein the step of creating a plurality of first index

files includes:

5

10

15

20

opening a plurality of top-level domain name files associated with the domain

name system for the computer network;

checking a plurality of domain names from the plurality of open top-level domain

name files to determine whether any of the plurality of domain names are associated with

an active web-site on the computer network;

extracting domain names in the plurality of open top-level domain name files

associated with active web-sites on the computer network;

storing the extracted domains names in a plurality of entries in a plurality of

separate files, thereby creating a plurality of separate files including the plurality of

entries; and

sorting each of the plurality of separate files based on a pre-determined sorting

scheme to create a plurality of sorted separate files.

7. The method of Claim 6 wherein the step of opening a plurality of top-level

domain name files associated with a domain name system including opening a .COM.

.EDU, .GOV, .MIL, .NET or .ORG top-level domain name file associated with the

Internet domain name system.

8. The method of Claim 6 wherein the checking step includes attempting to visit

a web-site on the computer network with a software spider to determine whether the web-

site is active.

9. The method of Claim 6 wherein the checking step includes extracting

electronic content from an active web-site on the computer network.

5

10

15

20

10. The method of Claim 6 wherein the extracting step includes:

(a) adding a first individual character component to a first file based on the first

character of an entry, when the first individual character component was derived from an

entry in one of the plurality of open top-level domain name files;

(b) moving the first character of the first individual character component to an end

of the first individual character component, thereby exposing a next character and

creating a next individual character component;

(c) adding the next individual character component to a next file based on the next

character of the first individual character component;

(d) moving the next character of the next individual character component to an

end of the next individual character component, thereby exposing a (next character+1)

and creating a (next character+1) individual character component;

(e) adding the (next character+1) individual character component to a (next

charater+1) file based on the (next character+1) of the (next character+1) individual

character component;

(f) repeating steps (d) and (e) until first character of the first individual character

component is reached.

- 11. The method of Claim 6 wherein the storing step includes storing the plurality of individual character components in a plurality of separate files including one file for
- each letter of the English alphabet (A-Z), and the numbers zero through nine.
- 12. The method of Claim 6 wherein the sorting step includes sorting each of the plurality of separate files based on an ASCII value of characters stored in the plurality of
  - separate files.
- 13. The method of Claim 1 wherein the step of creating a plurality of first index
- 10 files includes:
  - (a) selecting a keyword from the refined list of keywords;
  - (b) determining whether the selected keyword comprises multiple words, and if so,
- (c) selecting a word with the greatest number of individual characters from
  the multiple words comprising the selected keyword,
  - (d) opening a one of a plurality of sorted separate files based on a first character of the selected word from the selected keyword, wherein the plurality of sorted separate file were created by indexing a plurality of domain name files associated with a domain name system for the refined list of keywords, and
- 20 (e) searching the open sorted separate file for the selected word from the selected keyword,
  - (f) repeating steps (c) through (e) for remaining words in the selected keyword;

and if not,

(g) opening a one of a plurality of sorted separate files based on a first

character of the selected keyword, wherein the plurality of sorted separate file were

created by indexing a plurality of domain name files associated with a domain name

system for the refined list of keywords, and

(h) searching the open sorted separate file for the selected keyword;

(i) determining whether the selected keyword has been found in the open separate

sorted, file, and if so,

(i) adding an entry to a first index file for the selected keyword;

(k) repeating steps (a), (b) and (i) for remaining keywords from the refined list of

keywords.

5

10

15

20

14. A method for indexing a plurality of domain name files, comprising:

opening a plurality of top-level domain name files associated with a domain name

system for a computer network;

checking a plurality of domain names from the plurality of open top-level domain

name files to determine whether any of the plurality of domain names are associated with

an active web-site on the computer network;

parsing domain names in the plurality of open top-level domain name files

associated with active web-sites on the computer network into a plurality of individual

character components based on a pre-determined parsing scheme;

storing the plurality of individual character components in separate files, thereby

creating a plurality of separate files including the plurality of individual character

components; and

sorting each of the plurality of separate files based on a pre-determined sorting

scheme to create a plurality of sorted separate files.

15. The method of Claim 14 further comprising a computer readable medium

having stored therein instructions for causing a processor to execute the steps of the

method.

5

10

15

16. The method of Claim 14 wherein the step of opening a plurality of top-level

domain name files associated with a domain name system including opening a .COM,

.EDU, .GOV, .MIL, .NET or .ORG top-level domain name file associated with the

Internet domain name system.

17. The method of Claim 14 wherein the domain name system for the computer

network includes the Domain Name System for the Internet.

18. The method of Claim 14 wherein the checking step includes attempting to

visit a web-site on the computer network with a software spider to determine whether the

web-site is active.

20

19. A method for creating a creating a plurality of index files, comprising:

opening a plurality of top-level domain name files associated with a domain name

system for a computer network;

checking a plurality of domain names from the plurality of open top-level domain

name files to determine whether any of the plurality of domain names are associated with

an active web-site on the computer network;

extracting domain names in the plurality of open top-level domain name files

associated with active web-sites on the computer network;

storing the extracted domains names in a plurality of entries in a plurality of

separate files, thereby creating a plurality of separate files including the plurality of

entries; and

sorting each of the plurality of separate files based on a pre-determined sorting

scheme to create a plurality of sorted separate files.

20. The method of Claim 19 further comprising a computer readable medium

having stored therein instructions for causing a processor to execute the steps of the

method.

15

10

5

21. The method of Claim 19 wherein the step of opening a plurality of top-level

domain name files associated with a domain name system including opening a .COM,

.EDU, .GOV, .MIL, .NET or .ORG top-level domain name file associated with the

Internet domain name system.

20

22. The method of Claim 19 wherein the checking step includes attempting to

visit a web-site on the computer network with a software spider to determine whether the

web-site is active.

23. A vertical search engine system, comprising in combination:

a vertical search engine server with associated database for indexing and

searching a plurality of top-level domain name files associated with a domain name

system for a computer network for a selected list of keywords for a selected topic, for

indexing and searching electronic content from a plurality of web-sites identified by a

plurality of domain names from the plurality of top-level domain name files and for

creating a vortal index from the indexed plurality of top-level domain name files and the

electronic content from the plurality of web-sites; and

a protocol stack on the vertical search engine server for communicating with other

network devices on the computer network; and

a server network device for making a vortal accessible on a network device via

the computer network for a selected subject using the vertical index created by the

vertical search engine server.

15

10

5

24. The vertical search engine system of Claim 23 top-level domain name files

associated with a domain name system including opening a .COM, .EDU, .GOV, .MIL,

.NET or .ORG top-level domain name file associated with the Internet Domain Name

system.

20

25. The vertical search engine system of Claim 23 wherein the domain name

system for the computer network includes the Domain Name System for the Internet.